



CraftCan Duo™



NEW!!



Cans - Sleek, Slim & Standard



Touchscreen Controls



Small Footprint



Patent-Pending Servo Seamer



Can Capabilities:

Standard US sizes: 12oz, 16oz, 19.2oz, 24oz

International sizes: 330ml, 355ml, 375ml, 440ml, 500ml, 568ml

Slim/Sleek: 250ml slim, 8oz sleek, 12oz sleek

Lids: CDL-E, CDL-W, CDL+, SuperEnd, Super EndDA+, B64, ISE

Double the Output With Less Space

Yes, you're seeing double. The CraftCan Duo™ features A.B.E.'s proprietary 16-valve, dual-fill design, allowing you to fill two sizes at once! Even at twice the speed of the CraftCan35™, you won't sacrifice accuracy or reliability. The CraftCan Duo™ is built with A.B.E.'s patent-pending Servo-Seamer and on-demand seam analysis for precision filling that is second to none. American Beer Equipment's CraftCan Duo™ is a game changer your brewery can't afford to be without.

(402) 475-2337



AmericanBeerEquipment.com



CraftCan Duo™

Servo-Seamer™ Features:

- Patent-pending torque monitor instantly inspects and assesses seam accuracy on every can.
- Seams not meeting a pre-determined, measured specification are rejected, ensuring maximum quality and shelf stability.
- Maximize uptime with touchscreen modifications verses tedious, manual adjustments
- Using a state-of-the-art, 24 bit encoder with servo positional accuracy means, repeatable, precision seams within ± 0.15 degrees.
- Proprietary developed algorithm allows for precise seam analysis



Your Canning Solution

- Pre-programmed for maximum operation, but adjustable to meet your needs
- Patent-pending servo seamer technology reduces D.O. to maximize your shelf life
- Designed to be compact
- Quick can size changeover
- Stainless steel construction
- Precisely machined CNC hard anodized aluminum plates help provide unparalleled seaming accuracy
- High quality chucks, rollers and custom air cylinders
- PLC touchscreen operation with fully adjustable timing
- Unique filling design combines fill process and liquid level sensors for accurate control
- Pre-seam lid-present technology identifies if a lid is present before seaming
- CIP and wash-down capable
- High capacity lid magazine with in-motion, lid pick & lid detection / rejection system
- Proprietary inert gas tunnel
- Manual post rinse/dryer included
- Optional wheels on CraftCan™ to be used for mobile canning

CraftCan Duo™

System Dimensions:

- Length: 117 in (297 cm)
- Width: 44 in (112 cm)
- Height: 83 in (211 cm)

FEATURES

- 16 Head - 8 per lane, in-line, CO₂ purge cycle, reliable oxygen evacuation
- 16 Fill-heads -8 per lane, 1-piece stainless steel

Electrical Requirements:

- 208-240 volt, 1-phase, 50-60 Hz
- Other electrical options available

Water Requirements :

- Post Rinse 2 gpm at 60 PSI

Compressed Air Requirement:

- Minimum 100 PSI @ 23 SCFM

